

Safety Data Sheet dated 29-7-2019, version 2

Mixture identification:	
Trade name:	NXT-505-46
Trade code:	NXT-505-46
1.2. Relevant identified uses	s of the substance or mixture and uses advised against
Recommended use:	
Automotive Air Conditic	ning Lubricant
1.3. Details of the supplier of	f the safety data sheet
Company:	
Next Lubricants BV	
Stelmakerstraat 6	
9403 VB Assen	
The Netherlands	
+31 592 372299	
	sible for the safety data sheet:
info@nextlubricants.nl	
1.4. Emergency telephone n	
	I Centre - +31 (0) 30 2748888 - Only for use by professional rescue
in case of emergency	
No other hazards 2.2. Label elements Hazard pictograms: None Hazard statements: None Precautionary statements: None	
Special Provisions:	
None	
	o Annex XVII of REACH and subsequent amendments:
None	
2.2 Other hards	
2.3. Other hazards	o DRT Substances: None
vPvB Substances: Non	e - PBT Substances: None
	e - PBT Substances: None

Hazardous components within the meaning of the CLP regulation and related classification:



Qty	Name	Ident. Number		Classification
>= 1% -	Benzenamine, N-	CAS:	68411-46-1	4.1/C3 Aquatic Chronic 3 H412
< 3%	phenyl-, reaction	EC:	270-128-1	
	products with 2,4,4-	REACH No.:	01-	
	trimethylpentene		2119491299-	
			23	

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

In case of fire, use a dry powder fire extinguisher to extinguish. Extinguishing media which must not be used for safety reasons:

High Volume Water Jet

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Remove persons to safety.

See protective measures under section 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

NXT-505-46/2 Page n. 2 of 8



6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene - CAS: 68411-46-1 Worker Professional: 0.62 mg/kg - Consumer: 0.31 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects

Worker Professional: 4.37 mg/m3 - Consumer: 1.09 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 0.31 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene - CAS: 68411-46-1

Target: Fresh Water - Value: 0.0338 mg/l

Target: Marine water - Value: 0.0038 mg/l

Target: Intermittent release - Value: 0.51 mg/l

Target: Freshwater sediments - Value: 0.446 mg/kg

Target: Marine water sediments - Value: 0.0446 mg/kg

Target: Soil (agricultural) - Value: 2.59 mg/kg

Target: STP - Value: 10 mg/l

8.2. Exposure controls

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

Not needed for normal use.

Thermal Hazards:

None

NXT-505-46/2 Page n. 3 of 8



Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	N.A.		
Odour:			
Odour threshold:	Not available		
pH:	Not available		
Melting point / freezing point:	Not available		
Initial boiling point and boiling range:	Not available		
Flash point:	224 ° C		
Evaporation rate:	Not available		
Solid/gas flammability:	Not available		
Upper/lower flammability or explosive limits:	Not available		
Vapour pressure:	Not available		
Vapour density:	Not available		
Relative density:	Not available		
Solubility in water:			
Solubility in oil:	Not available		
Partition coefficient (n- octanol/water):	Not available		
Auto-ignition temperature:	Not available		
Decomposition temperature:	Not available		
Viscosity:	44 cSt 40°C		
Explosive properties:	Not available		
Oxidizing properties:	Not available		

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	Not available		
Fat Solubility:	Not available		
Conductivity:	Not available		
Substance Groups relevant properties	Not available		

SECTION 10: Stability and reactivity

10.1. Reactivity

- Stable under normal conditions
- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None

NXT-505-46/2 Page n. 4 of 8



10.4. Conditions to avoid Stable under normal conditions.
10.5. Incompatible materials None in particular.
10.6. Hazardous decomposition products
None.
SECTION 11: Toxicological information
11.1. Information on toxicological effects
Toxicological information of the product:
NXT-505-46 a) acute toxicity
Not classified
Based on available data, the classification criteria are not met
b) skin corrosion/irritation
Not classified
Based on available data, the classification criteria are not met
c) serious eye damage/irritation
Not classified
Based on available data, the classification criteria are not met
d) respiratory or skin sensitisation Not classified
Based on available data, the classification criteria are not met
e) germ cell mutagenicity
Not classified
Based on available data, the classification criteria are not met
f) carcinogenicity
Not classified
Based on available data, the classification criteria are not met
g) reproductive toxicity Not classified
Based on available data, the classification criteria are not met
h) STOT-single exposure
Not classified
Based on available data, the classification criteria are not met
i) STOT-repeated exposure
Not classified
Based on available data, the classification criteria are not met
j) aspiration hazard Not classified
Based on available data, the classification criteria are not met
Toxicological information of the main substances found in the product:
Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene - CAS: 68411-46-1
a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: OECD 401
Route: Inhalation - No data available for the product
Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: OECD 402
b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eye damage/irritation:
Test: Eye Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 405

SECTION 12: Ecological information

NXT-505-46/2 Page n. 5 of 8



12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. NXT-505-46

Not classified for environmental hazards

Based on available data, the classification criteria are not met

Benzenamine, N-phenyl-, reaction products with 2,4,4- trimethylpentene - CAS: 68411-46-1

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 100 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 51 mg/l - Duration h: 48
Endpoint: EC50 - Species: Algae > 100 mg/l - Duration h: 72
Endpoint: No observed effect concentration - Species: Algae >= 10 mg/l - Duration h: 72
b) Aquatic chronic toxicity:

Endpoint: EC10 - Species: Algae 1.69 mg/l - Duration h: 504

- c) Bacteria toxicity:
- Endpoint: EC50 Species: Activated sludge > 100 mg/l Duration h: 3 d) Terrestrial toxicity:

Endpoint: EC10 - Species: Algae 259 mg/kg - Duration h: 1344

12.2. Persistence and degradability

N.A.

- 12.3. Bioaccumulative potential
- N.A. 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
 - N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
- N.A.
- **14.5. Environmental hazards** N.A.
- 14.6. Special precautions for user N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

NXT-505-46/2 Page n. 6 of 8



Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) 2015/830 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: No restriction. Restrictions related to the substances contained: No restriction. Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: Provisions related to directive EU 2012/18 (Seveso III):

N.A.

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3: H412 Harmful to aquatic life with long lasting effects.

Hazard class and hazard category	Code	Description
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 5: Firefighting measures

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

NXT-505-46/2 Page n. 7 of 8



ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
ATP:	Adaptation to technical progress
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
N.A.:	Not available
OEL:	Substance with a Union workplace exposure limit.
PBT:	Persistent, Bioaccumulative and Toxic
PNEC: RID:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
STEL:	by Rail. Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
VOC:	Volatile Organic Carbon
vPvB:	Very Persistent, Very Bioaccumulative.
WGK:	German Water Hazard Class